# Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Color Multifunction Printer ApeosPort-VI C4471 RC



Value from Innovation

富士フイルム ビジネス イノベーション株式会社 FUJIFILM Business Innovation Corp.

ApeosPort, Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

Xerox, the Xerox logo, and the Fuji Xerox logo are registered trademarks or trademarks of Xerox Corporation.

### **Functional unit**

Per unit of product

### **System boundary**

■ final products ☐ intermediate products

Material - Product - Distribution - Use - Disposition

### Main specifications of the product

- Model: ApeosPort-VI C4471 RC
- Monochrome Multifunction Printer (EP Type)
- Continuous Copy Speed: Mono 35ppm (A4 LEF)
  Color 35ppm (A4 LEF)
- Paper Size (Max.):SRA3(320x450mm)
- Copy / Print / Scan / Fax
- Auto 2 Sided Output

### **Company Information**

### **FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

https://www.fujifilm.com/fbglobal/eng

Registration#	JR-AI-22180E-A	
PCR number	PA-590000-AI-04	
PCR name	Imaging input and/or output equipment	
Publication date	10/21/2022	
Verification date	10/14/2022	
Verification method	System certificaion	
Verification#	2022-FB-EL-005	
<b>Expiration date</b>	10/13/2027	
PCR review was conducted by:		

# Approval date 4/1/2022 PCR review Masayuki Kanzaki

# panel chair (Su Third party verifier\*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025

□internal ■external


(Sustainable Management Promotion Organization)

Registration number: JR-AI-22180E-A

stAuditor's name is stated if system certification has been performed.

## Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory analysis (LCI)			
Parameter		Unit	
Non-renewable material resources	2.2E+01	kg	
Renewable material resources	1.9E+02	kg	

3. Material composition			
Material		Unit	
Steel	59	kg	
Plastic	43	kg	
SUS	8.7	kg	
Conversion Parts	6.7	kg	
Circuit Board	4.5	kg	
Glass	1.9	kg	
Other metal	0.54	kg	
Rubber	0.42	kg	
Aluminium	0.26	kg	
Others	3.7	kg	

# 5. Additional explanation

- ✓ Product destination: Japan
- ✓ Calculated based on standard scenario for MFP (EP type).
- ✓ Printing paper is excluded from Use & maintenance stage.
- ✓ Electric power of Use & maintenance stage is calculated based on TEC value, measured according to ENERGY STAR® Version 3.0.
- √ Assumed print volume are 297,600 sheets.
- 1/4 x 32 (jobs per day) x 31 (sheets) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 297,600 sheets



## Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

# 6-1. Supplementary environmental information

ENERGY STAR® Version 3.0 qualified.

## 7. Assumptions of secondary data used

Inventory Database: LCI Database IDEA v2.1.3, Japan EPD Program by SuMPO registered data v1.10

### 8. Remarks

✓ This product has reused parts collected from used products to reduce the environmental impact. It is reflected as a reduction at the raw material acquisition stage in the life cycle assessment result.

- Revised on 22 July, 2025: Modification of description regarding trademarks.
- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-22180E-A