



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-23022E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

PFU Limited

RICOH

RICOH Image Scanner fi-8250



Functional unit

Per product

System boundary

final products intermediate products

Raw material

acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name : RICOH Image Scanner fi-8250

Product Category : Sheet-fed scanner (With Flat-bed)
For Business

Scanning Speed : Simplex or Duplex, 50 ppm(100 ipm)

Scanning Size : 215.9mm × 355.6mm (8.5in × 14in)

Scanning Method : CIS

With LAN Interface

*This product is for United States.

Company Information

PFU Limited Imaging Service & Support center

E-mail: scanners@ml.rioh.com

Registration#	JR-AI-23022E
PCR number	PA-590000-AI-05
PCR name	Imaging input and/or output equipment
Publication date	4/7/2023
Verification date	1/13/2023
Verification method	Product-by-product
Verification#	JV-AI-23022
Expiration date	1/12/2028
PCR review was conducted by:	
Approval date	1/6/2023
PCR review panel chair	Masayuki Kanzaki (SuMPO)

Third party verifier*

Yuki Sakamoto

Independent verification of data & declaration in accordance with ISO14025

internal

external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-23022E



EcoLeaf

Type III Environmental Declaration (EPD)


Registration number : JR-AI-23022E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	1.9E+02	7.8E+01	9.1E+00	1.8E+01	8.1E+01	3.5E+00
Acidification		kg-SO ₂ eq	1.3E-01	5.9E-02	1.0E-03	3.9E-02	2.8E-02	6.3E-03
Resources consumption		kg-Sbeq	2.2E-02	2.1E-02	3.4E-05	7.6E-05	7.2E-04	1.5E-05

2. Life cycle inventory analysis (LCI)

項目	Value	単位
Non-renewable material resources	5.6E+00	kg
Renewable material resources	1.6E+01	kg

3. Material composition

Material	Value	Unit
Ordinary steel	2.0E+00	kg
SUS	2.9E-01	kg
Aluminum	1.8E-02	kg
Other metals	8.5E-02	kg
Plastic	4.5E+00	kg
Rubber	2.7E-02	kg
Glass	8.1E-01	kg
Paper and Wood	5.2E+00	kg
Circuit Board	3.1E-01	kg
Others	7.7E-01	kg



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-23022E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

5. Additional explanation

Product selected for the scenario used for load calculation - Sheet-fed scanner

Product Destination: United States

Calculation method for the use phase

- Scans per day: 8,000 sheets/day (10 scans/day)
- Workdays per month: 20 days/month
- Working days per year: 240 days/year
- Expected usage period: 5 years
- Total scans: 12,000 times (9,600,000 sheets)/5 years

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.1. It also complies with the European RoHS Directive.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of EcoLeaf Environmental Labeling Program, JLCA datav1.10 are used.

8. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-23022E