Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

PFU Limited

RICOH RICOH Image Scanner fi-8170



Functional unit

Per product

System boundary

■ final products □ intermediate products Raw material acquisition,Production,Distribution, Use & maintenance,End-of-Life

Main specifications of the product

Product name RICOH Image Scanner fi-8170 Product Category : Sheet-fed scanner (Without Flat-bed) For Business Scanning Speed : Simplex or Duplex, 70 ppm(140 ipm) Scanning Size : 215.9mm × 355.6mm (8.5in × 14in) Scanning Method : CIS *This product is for United States.

Registration# JR-AI-23024E **PCR number** PA-590000-AI-05 PCR name Imaging input and/or output equipment Publication date 4/7/2023 Verification date |1/13/2023 Verification method Product-by-product Verification# JV-AI-23024 **Expiration date** 1/12/2028 PCR review was conducted by: Approval date 1/6/2023 Masayuki Kanzaki PCR review panel chair (SuMPO) Third party verifier* Yuki Sakamoto

Independent verification of data & declaration in accordance with ISO14025

PFU Limited Imaging Service & Support center

E-mail: <u>scanners@ml.ricoh.com</u>

Company Information

□internal

external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-23024E



EcoLeaf

Japan EPD Program by SuMPO

Type III Environmental Declaration (EPD) Registration number : JR-AI-23024E Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle	impact a	ssessmei	nt (LCI/	۹)				
			0%	20%	40	% 6	0% 80	% 1009
Global warming IPCC2013 GWP100a	160	kg-CO2eq		32%	<mark>3%</mark> 5%		60%	1 <mark>%</mark>
Acidification	0.10	kg-SO2eq		39%	0%	18%	40%	3%
Resources consumption	0.011	kg-Sbeq				91%		<mark>0%</mark> 8% 09
		1	Di	w materi stributior id-of-Life	-	on	 Production Use & maint 	enance
Stage Parameter	Unit	Total	Raw mater acquisitio		duction	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	1.6E+02	5.2E+0	1 4.2	2E+00	8.3E+00	9.7E+01	1.6E+00
Acidification	kg-SO ₂ eq	1.0E-01	3.9E-02	2 4.6	6E-04	1.8E-02	4.0E-02	2.9E-03
Resources consumption	kg-Sbeq	1.1E-02	9.9E-03	3 1.6	6E-05	3.5E-05	9.2E-04	6.8E-06

2. Life cycle inventory analysis (LCI)						
項目		単位				
Non-renewable material resources	3.9E+00	kg				
Renewable material resources	1.1E+01	kg				

3. Material composition

Material		Unit				
Ordinary steel	6.9E-01	kg				
SUS	2.9E-01	kg				
Aluminum	6.6E-04	kg				
Other metals	5.9E-02	kg				
Plastic	2.3E+00	kg				
Rubber	2.2E-02	kg				
Glass	4.0E-02	kg				
Paper and Wood	2.2E+00	kg				
Circuit Board	2.8E-01	kg				
Others	5.7E-01	kg				



EcoLeaf

Type III Environmental Declaration (EPD) Registration number : JR-AI-23024E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

5. Additional explanation

Product selected for the scenario used for load calculation - Sheet-fed scanner

Product Destination: United States

Calculation method for the use phase

-Scans per day: 12,000 sheets/day (5 scans/day)

- -Workdays per month: 20 days/month
- -Working days per year: 240 days/year
- -Expected usage period: 5 years
- -Total scans: 6000 times (14,400,000 sheets)/5 years

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.1. It also complies with the European RoHS Directive.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of EcoLeaf Environmental Labeling Program, JLCA datav1.10 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-23024E