

Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Black and White MFP (Electrophotography)

RICOH COMPANY, LTD

RICOH imagine. change.



IM 350F



Functional unit

Per product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name:IM 350F Product destination: NA

Main specifications:

Black and White MFP (Electrophotography)

Print Speed: 35 prints/minute (A4) Maximum Paper Size: 8.5" x 11"

Included Units in Assessment: Automatic Reversing

Document Feeder, Automatic Duplexing Unit

Company Information

RICOH COMPANY, LTD

Tel:(03) 3777-8111

Registration#	JR-AI-20121E	
PCR number	PA-590000-AI-03	
PCR name	Imaging input and/or output equipment	
Publication date	12/25/2020	
Verification date	12/17/2020	
Verification method	System certificaion	
Verification#	JV-AI-20121	
Expiration date	12/16/2025	
PCR review was conducted by:		
Approval date	11/8/2019	
PCR review	Masayuki Kanzaki	
panel chair	(SuMPO)	

Third party verifier*

Yasuo Koseki

Independent verification of data & declaration in accordance with ISO14025

□internal ■ external

Registration number: JR-AI-20121E

^{*}Auditor's name is stated if system certification has been performed.


EcoLeaf

Type III Environmental Declaration (EPD)

Registration number: JR-AI-20121E

Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Non-renewable material resources	4.8E+01	kg		
Renewable material resources	5.2E+02	kg		

3. Material composition			
Material		Unit	
SUS	0.4	%	
Aluminum	0.8	%	
Ordinary steel	29.7	%	
Other metals	2.4	%	
Thermoplastic resin	46.2	%	
Thermosetting resin	0.5	%	
Glass	3.0	%	
Rubber	0.1	%	
Paper	10.9	%	
Lubricant	0.0	%	
Mounting circuit board	3.1	%	
Wood	2.9	%	

-Products selected in the scenario used for load calculation

- --Multifunction device (EP)
- Product destination: NA ※
- **Transportation scenarios are for China, Thailand, and Ricoh Group.from three production sites in Japan, North America, Europe, on transportation routes to the five poles of China, Oceania and Japan transport load calculate the weighted average of transportation activity per kg of product from the total calculated using the annual production volume for each pole.

Then, it is used as a transportation unit of calcuration.

- · Expected usage period: 5 years
- Estimated number of sheets:729600 sheets **
- **Compatible with International Energy Star Program Ver.2.0
- -The load on the image output medium (printing paper) is not included.

^{5.} Additional explanation

^{*}Data derived from LCA and not assigned to the impact categories of LCIA



Registration number: JR-AI-20121E

Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.2.0. It also complies with the European RoHS Directive. Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified

7. Assumptions of secondary data used

IDEA v2.1.3 is used and registration data and JLCA data v1.07 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-20121E