Japan EPD Program by SuMPO Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

https://ecoleaf-label.jp/

at your side

Color LED Printer

HL-L3300CDW for North America

BROTHER INDUSTRIES, LTD.



Functional unit

Per unit of product

System boundary

■ final products □intermediate products Raw material acquisition - Production - Distribution

- Use & maintenance - End-of-Life

Main specifications of the product

Model name: HL-L3300CDW

- Printer (EP method)
- Color
- Printing Speed: 19ppm (Color/Monochrome, Letter)
- Maximum document size: A4, Letter
- Print/Copy/Scan/Automatic duplex printing
- Product weight: 18.7kg, Packaging etc.: 3.2kg
- Wireless LAN
- * This product is for North America.

Company Information

Brother Industries, Ltd. TEL: 81-52-824-2511 (Representative) FAX: 81-52-821-5177 https://www.brother-usa.com/

Registration# JR-AI-23239E **PCR** number PA-590000-AI-08 **PCR** name Imaging input and/or output equipment Publication date 11/15/2023 Verification date 11/1/2023 Verification method System certificaion Verification# JV-AI-23239E Expiration date 10/31/2028 PCR review was conducted by: Approval date 9/1/2023 Masayuki Kanzaki PCR review panel chair Sustainable Management Promotion Organization Third party verifier* Yasuo Koseki Independent verification of data & declaration in accordance with ISO14025 □internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-23239E



EcoLeaf

Japan EPD Program by SuMPO

Type III Environmental Declaration (EPD) Registration number : JR-AI-23239E Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle impact assessment (LCIA)									
			0%	20%	5 40)% 6	0% 80	0% 100%	
Global warming IPCC2013 GWP100a	580	kg-CO2eq	28	3%	2 <mark>%</mark> %		62%	6%	
Acidification	0.38	kg-SO2eq		36%	0 <mark>%</mark> %	<mark>6</mark>	54%	<mark>4%</mark>	
Resources consumption	0.027	kg-Sbeq		4	8%	0 <mark>%</mark>	51%	0%	
Raw material acquisition Production Distribution Use & maintenance End-of-Life								tenance	
Stage Parameter	Unit	Total	Raw materi acquisitio		roduction	Distribution	Use & maintenance	e End-of-Life	
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	5.8E+02	1.6E+02	2 1	I.1E+01	1.3E+01	3.6E+02	3.6E+01	
Acidification	kg-SO ₂ eq	3.8E-01	1.4E-01		1.1E-03	2.0E-02	2.1E-01	1.6E-02	
Resources consumption	kg-Sbeq	2.7E-02	1.3E-02		2.5E-05	5.5E-05	1.4E-02	9.0E-06	

2. Life cycle inventory analysis (LCI)						
Parameter		Unit				
Non-renewable material resources	2.9E+01	kg				
Non-renewable energy resources	8.4E+03	MJ				
Renewable material resources	6.8E+01	kg				
Renewable primary energy	2.0E+02	MJ				
Consumption of freshwater	5.9E-01	m ³				

3. Material composition					
Material		Unit			
Steel	4.9E+00	kg			
SUS	1.8E-01	kg			
Aluminium	3.2E-01	kg			
Other metal	2.3E-03	kg			
Plastic	1.1E+01	kg			
Rubber	3.8E-01	kg			
Glass	6.5E-01	kg			
Paper and Wood	2.5E+00	kg			
Circuit board	7.9E-01	kg			
Othres	9.7E-01	kg			

5. Additional explanation

Calculation method for usage stage (scenario) : Printer (EP), Expected use period: 5 years, Assumed usage: 51,300 sheets, Print measuring method (pattern): ISO/IEC 19798, Printing paper is not included in the environmental impact, The applied Energy Star program version is 3.0, This product is for North America.

6-1. Supplementary environmental information

This product and main compornents are produced in ISO 14001 certified factories.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO, JLCA data v1.10 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)