
Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp



Toyo Kohan Co., Ltd.

Laminated Steel Sheet

Coating structure



Example of use





Functional unit

1 t

System boundary

final products intermediate products

Production Stage and optional supplementary infomation

Main specifications of the product

Production sites: Kudamatsu Plant

Main standards:

Hi-PET

See Table 8.Remarks for details.

Type: Coil, Sheet

Main sizes(unit mm,t !hickness)

t=0.15 ~ 0.60

Company Information

Toyo Kohan Co., Ltd.

https://www.toyokohan.co.jp/en/index.html

Registration#	JR-AY-24004E	
PCR number	PA-180000-AY-05	
PCR name	Steel products except for construction use	
Publication date	04/10/2024	
Verification date	03/27/2024	
Verification method	Product-by-product	
Verification#	JV-AY-24004	
Expiration date	3/26/2029	
PCR review was conducted by:		

Approval date	05/10/2023
PCR review	Yasunari Matsuno
panel chair	(Chiba University)

Third party verifier*

Yasuo Koseki

Independent verification of data & declaration in accordance with ISO14025

internal	external	
----------	----------	--

^{*}Auditor's name is stated if system certification has been performed.

Registration number: JR-AY-24004E

Type III Environmental Declaration (EPD)

Registration number: JR-AY-24004E

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp

1. Results of life cycle impact assessment (LCIA)

Stage Parameter	(1)+(2)+(3)	(1)+(2)	Unit
Global warming IPCC2013 GWP100a	1700	2900	kg-CO₂eq
Acidification	0.19	2.2	kg-SO₂eq
Photochemical ozone	0.18	0.20	kg-PO ₄ ³⁻ eq

Table Legend
(1)Raw material supply
(2)Production
(3)Recycling potential
(1)+(2):sum of (1)and(2) (cradle to gate)
(1)+(2)+(3): sum of (1),(2)and(3) (cradle to gate with allocation for scrap recycling)

stage						
Parameter	Unit	(1)+(2)	(1)	(2)		(3)
Global warming IPCC2013 GWP100a	kg-CO₂eq	2.9E+03	2.4E+03	5.5E+02		-1.3E+03
Ozone layer destruction	kg-CFC-11eq	7.1E-05	-7.2E-07	7.2E-05		-2.3E-07
Acidification	kg-SO₂eq	2.2E+00	1.9E+00	3.0E-01		-2.0E+00
Photochemical ozone	kg-C ₂ H ₄ eq	2.6E-02	1.7E-02	9.4E-03		-2.7E-01
Eutrophication	kg-PO ₄ ³⁻ eq	2.0E-01	4.8E-02	1.6E-01		-2.3E-02

2. Life cycle inventory analysis (LCI)		
Parameter		Unit
Non-renewable material resources	7.1E+02	kg
Renewable material resources	1.1E+03	kg
Non-renewable energy resources	3.5E+04	MJ
Renewable primary energy	-2.8E+02	MJ
Consumption of freshwater	2.1E+00	m ³

3. Material composition		
Material		Unit
Fe	90	%
С	<1	%
Mn	<1	%
Cr	<0.1	%
Resin	<7	%

4. Waste to disposal		
Parameter		Unit
Hazardous waste	0.00E+00	kg
Non-hazardous waste.	3.4E+00	kg

 $[\]ensuremath{^{\star}}\xspace \ensuremath{\text{Data}}$ derived from LCA and not assigned to the impact categories of LCIA

5. Additional explanation

- 1) This base material is Hot rolled coil made by Nippon Steel(Ecoleaf registration No.JR-AW-22010E-A).
- 2) Because this product is secondary processing product, the indirect effect is evaluated about the base material. Each LCI includes allocation for scrap recycling as an optional supplementary information (3) at table.1
- . Recycling rate (RR) used in this calculation is 93.0% (calculated based on ISO 20915/JIS Q20915 and using Japan data in 2018 from Japan Iron and SteelFederation and Japan Steel Can Recycling Association).
- 3) Transport distance between Nippon Steel and Toyo kohan is measured by geographic software.
- 4) Each item (expect iron) in table 3 is the maximum value of all product standards covered by this EPD. However, the iron content in each product is never less than 90%, and the contents of other components are adjusted.
- 5) Primary data collected in 2021. The source of the unit power consumption is the average of 10 electric power suppliers of Japan in 2014.

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp

6-1. Supplementary environmental information

Kudamatsu plant has ISO 14001 certificate.

6-2. Regulated hazardous substances		
Substance CAS No.		Reference to standards or regulations
Manganese [Mn]	7439-96-5	Industrial Safety and Health Act
Chromium[Cr]	7440-47-3	Industrial Safety and Health Act

7. Assumptions of secondary data used

The IDEA2.1.3 data and steel scrap data(JP-AJ-0001) from the Japan Iron and Steel Federation are used.

8 Remarks

For details on the product model and specifications, please refer to our website.

https://www.toyokohan.co.jp/en/products/hi_pet/index.html

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AY-24004E