

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Canon Inc.

Canon Inkjet Printer GX5520X



Functional unit

Per unit product

System boundary

■ final products □intermediate products Raw Material acquisition, Production, Distribution, Use & maintenance, and End-of-Life stage

Main specifications of the product

Model name: Canon Inkjet Printer GX5520X

Specifications Specifications

- Printers and multifunction machines (Inkjet method)
- · Maximum paper size: Legal.

Company Information

Canon Inc.

30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo 146-8501, Japan +81-3-3758-2111

,	Registration#	JR-AI-23534C	
	PCR number	PA-590000-AI-08	
	PCR name	Imaging input and/or output equipment	
	Publication date	2/2/2024	
	Verification date	1/26/2024	
	Verification method	System certificaion	
	Verification#	JV-AI-23534	
	Expiration date	1/25/2029	
	PCR review was	9/1/2023	
	Approval date		
	PCR review	Masayuki Kanzaki	
	panel chair		
	Third party verifier*		


Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO/TS14067

> □internal ■ external

Registration number: JR-AI-23534C

^{*}Auditor's name is stated if system certification has been performed.



Registration number: JR-AI-23534C

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

3. Supplementary environmental information


- · Complies with the EU RoHS Directive (2011/65/EU) and its amendments including 2015/863/EU.
- Manufactured at ISO 14001 certified factories.

^{1.} Quantification results, and contents of the declaration CFP quantification unit:

	Parameter		Unit
CFI	P Quantification results	140	kg-CO₂eq
	Raw material acquisition	83	kg-CO₂eq
×	Production	19	kg-CO₂eq
akde	Distribution	8.7	kg-CO₂eq
Breakdown	Use & maintenance	4.4	kg-CO₂eq
	End-of-Life	27	kg-CO₂eq
\	/alue on CFP mark	140	kg-CO₂eq
Unit f	or the value on CFP mark	Per unit product	

^{*}Quantification results may slightly differ from the sum of the breakdown due to rounding of fractions.

2. Additional information



Calculated in the following conditions;

- · Printing paper is not considered.
- · Expected use period is 3 years.
- · The standard scenario for Multifunction Device (IJ type).
- · US market.
- · Print volume: 7,200 sheets.
- The applied Energy Star program version is 3.0.

4. Interpretation

- CO2 emission in Raw material acquisition is the largest as 58%. It is important to reduce the size and weight, and to use low environmental impact materials.
- · CO2 emission in End-of-Life is the second largest as 19%. It is important to reduce the size and weight, and improving recycling rates.
- · We evaluated the CFP with Canon's own data of raw materials weight and the general basic unit for the parts because it is difficult to collect the data for a couple of thousands of parts. Accordingly, the results may be different from the specific product specification.

As such, please be advised that this result would be a rough estimate.

5. Assumptions of secondary data used

IDEA v2.1.3, and registered data v1.13 of Japan EPD Program by SuMPO are used.

6. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)
- The CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product.

Registration number: JR-AI-23534C