EcoLeaf Type III Environmental Declaration (EPD) Registration number : JR-AI-23421E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



EPSON

High-speed Linehead Inkjet Multifunction Printer WorkForce Enterprise LM-C6000

Seiko Epson Corporation

Functional unit

Per unit of product

System boundary

■ final products □intermediate products Raw material acquisition,Production,Distribution, Use & maintenance,End-of-Life

Main specifications of the product

Model name: WorkForce Enterprise LM-C6000 Main Specifications

- Multifunction device (High Performance Inkjet)
- Color
- Print speed: 60ppm (single-sided A4 sheets)
- Maximum paper size (standard cassette): A3
- Automatic duplex printing
- %This product is destined for Japan

Company Information

Seiko Epson Corporation http://www.epson.com/ http://www.epson.jp/contact/ (Japanese) 3-3-5 Owa, Suwa-shi, Nagano-ken, Japan TEL 81-266-52-5353 (Japan)

Registration#	JR-AI-23421E		
PCR number	PA-590000-AI-08		
PCR name	Imaging input and/or output equipment		
Publication date	11/17/2023		
Verification date	11/13/2023		
Verification method	Product-by-product		
Verification#	JV-AI-23421		
Expiration date	11/12/2028		
PCR review was conducted by:			
Approval date	9/1/2023		
PCR review	Masayuki Kanzaki		
panel chair	Sustainable Management Promotion Organization		
Third party verifi	er*		

Tetsuya Okuyama

Independent verification of data & declaration in accordance with ISO14025

□internal

external

 $\ensuremath{^*}\xspace{Auditor}\xspace{Audit$

Registration number : JR-AI-23421E



EcoLeaf

Type III Environmental Declaration (EPD) Registration number : JR-AI-23421E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle impact assessment (LCIA)									
			0% 20	% 40%	% 60%	80%	100%		
Global warming IPCC2013 GWP100a	900	kg-CO2eq		72%		<mark>6%2</mark> %	19% 2 <mark>%</mark>		
Acidification	0. 68	kg-SO2eq		76%		1% - 3% -	16% <mark>4%</mark>		
Resources consumption	0. 13	kg-Sbeq			96%	0% - 0%	4% 0%		
Baw material acquisition Production Distribution End-of-Life									
stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life		
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	9.0E+02	6.4E+02	5.0E+01	1.4E+01	1.7E+02	1.7E+01		
Acidification	kg-SO ₂ eq	6.8E-01	5.2E-01	4.5E-03	1.9E-02	1.1E-01	2.6E-02		
Resources consumption	kg-Sbeq	1.3E-01	1.2E-01	1.3E-04	5.8E-05	5.1E-03	2.7E-05		

2. Life cycle inventory analysis (LCI)					
Parameter		Unit			
Non-renewable material resources	8.9E+01	kg			
Renewable material resources	1.5E+02	kg			

3. Material composition					
Material		Unit			
Steel	40	%			
SUS	2	%			
Aluminum	1	%			
Other metal	7	%			
Plastic	29	%			
Rubber	0	%			
Glass	2	%			
Paper and wood	11	%			
Circuit Board	2	%			
Other	7	%			

5. Additional explanation

- Product destination: Japan

- Calculation method of use stage (scenario)
- Expected usage period: 5 years
- Estimated number of use: 537,600 sheets*
- Print measuring method (pattern): ISO/IEC 19752
- Inventory of the print paper is not included

- Products selected in the scenario used for inventory calculation

- Multifunction device (High Perfomance IJ)

* In accordance with the ENERGY STAR® Ver.3.0. 537,600 sheets = (32 pages x 56 jobs/day x 5 days) / 4 x 4 weeks x 12 months x 5 years



EcoLeaf

Type III Environmental Declaration (EPD) Registration number : JR-AI-23421E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ocoloaf-label.in/

6-1. Supplementary environmental information

- This product and main compornents are produced in our ISO 14001 certified factories.

- Compliant with the International Energy Star Program Ver.3.0.It also complies with the European RoHS Directive.

7. Assumptions of secondary data used We used IDEA v2.1.3 and SuMPO Environmental Label Program registration intensity v1.13.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-23421E