

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Canon Inc.

i-SENSYS X C1533P(For EU)



Functional unit		Registration#	JR-AI-23048C
Per unit product		PCR number	PA-590000-AI-05
		PCR name	Imaging input and/or output equipme
System boundary		Publication date	4/6/2023
■ final products	□intermediate products	Verification date	2/24/2023
Raw Material acquisition, Production, Distribution,		Verification method	System certificaion
Use & maintenance, and End-of-Life stage		Verification#	JV-AI-23048C
		Expiration date	2/23/2028
Main specifications of the product		PCR review was conducted by:	
Model name: i-SENSYS X C1533P(For EU) Specifications • Multi Functional Printer (Electrophotography) • Print Speed : Up to 33 ipm (A4) • Duplex printing • Weight: approx.25kg(CRG not included)		Approval date	1/6/2023
		PCR review panel chair	Masayuki Kanzaki
			Sustainable Management Promotion Organization
		Third party verifier*	
			Hiroyuki Uchida
Company Information Canon Inc. 30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo 146-8501, Japan +81-3-3758-2111		Independent verification of data & declaration in accordance with ISO/TS14067	
		*Auditor's name is stated if system certification has been performed	

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-23048C


Carbon Footprint of Products CFP Declaration

Registration number : JR-AI-23048C

CFP quantification unit : Parameter Unit **CFP** Quantification results 740 kg-CO₂eq Raw material acquisition 360 kg-CO₂eq Breakdown Production 10 kg-CO₂eq Distribution 25 kg-CO₂eq 310 kg-CO₂eq Use & maintenance End-of-Life 38 kg-CO₂eq Value on CFP mark 740 kg-CO₂eq Unit for the value on CFP mark Per unit product

*Quantification results may slightly differ from the sum of the breakdown

due to rounding of fractions.



4. Interpretation

· CO2 emission in Raw material acquisition

is the largest as 48%. It is important to reduce the size and weight, and to use low environmental impact materials.

• CO2 emission in Use & maintenance is the second largest as 42%. It is important to save energy during product usage, to make the life time of consumables(e.g. drum) longer and to reduce amount of toner used when printing. The condition in this CFP evaluation can be different from the one which the user operates under. A choice of the use condition (print mode, print conditions and so on) can reduce the CO2 emission during Use & maintenance stage.

• We evaluated the CFP with Canon's own data of raw materials weight and the general basic unit for the parts because it is difficult to collect the data for a couple of thousands of parts. Accordingly, the results may be different from the specific product specification.

As such, please be advised that this result would be a rough estimate.

5. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO, JLCA data v1.13 are used.

6. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

- The CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product.

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

3. Supplementary environmental information

• Complies with the EU RoHS Directive (2011/65/EU) and its amendments including 2015/863/EU.

• Manufactured at ISO 14001 certified factories.