Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Hitachi, Ltd. Hitachi Virtual Storage Platform 5200



Functional unit

Per sales unit (per unit)

System boundary

■ final products □intermediate products

Main specifications of the product

All-Flash Array

Controller chassis
 H/A-65AG-CBXAAN* up to 1pair
 *H/A- means H- or A-

- Drive box

H/A-F65AG-B1NSBX (Up to 96 SAS SSD)

Up to 8 units

H/A-F65AG-B1NNBX (Up to 96 NVMe SSD)

Up to 1 unit

*The maximum installed drives represents

Registration#	JR-BF-22001C-A			
PCR number	PA-520000-BF-01			
PCR name	IT equipment			
Publication date	3/18/2022			
Verification date	3/4/2022			
Verification method	Product-by-product			
Verification#	JV-BF-22001			
Expiration date	3/3/2027			
PCR review was conducted by:				
Approval date	19/2/2021			
PCR review panel chair	Ken Yamagishi			
	Sustainable Management Promotion Organizetic			
Third party verifier*				

Yasuo Kozeki

Independent verification of data & declaration in accordance with ISO/TS14067

□internal ■ external

*Auditor's name is stated if system certification has been performed.

the case of connecting only a single type of drive box

The mix of the SAS/NVMe drive is excluded

- Assumed operating years : 5years
 - * The specifications listed are subject to change without notice due to product improvements

Company Information

Hitachi, Ltd.

+81-3-5471-2745

Registration number: JR-BF-22001C-A



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Quantification results, and contents of the declaration CFP quantification unit :

Parameter			Unit
CFP Quantification results		470,000	kg-CO₂eq
Breakdown	Raw material acquisition	16,000	kg-CO₂eq
	Production	5,300	kg-CO₂eq
	Distribution	200	kg-CO₂eq
	Use & maintenance	450,000	kg-CO₂eq
	End-of-Life	110	kg-CO₂eq
Value on CFP mark		470,000	kg-CO₂eq
Unit for the value on CFP mark		Per sales unit (per unit)	
Value on CFP mark		4.1	kg-CO₂eq/(TB · Year)
Unit for the value on CFP mark		Per TB · Year*1	

^{*}Quantification results may slightly differ from the sum of the breakdown due to rounding of fractions.

3. Supplementary environmental information

2. Additional information

<Products>

- Product Name: Hitachi Virtual Storage Platform 5200
- Conditions for calculating CO_2 eq emissions : Calculated using 1 controller chassis (H/A-65AG-CBXAAN) and 8 drive boxes (H/A-F65AG-B1NSBX) with the maximum installed of SAS SSDs
- Product type name of the scenario used :
 Disk array (Solid State Drive(SSD) installed)

<Product main specifications>

Storage capacity*1 : 23,113TB Operating years*2 : 5 years

Drive type: Solid State Drive (SAS SSD)

Drive interface : SAS Installed drives : 768 units

· CO₂eq emissions :

-Per product: 470 t-CO₂eq

-Per 1TB \cdot 1Year : 4.1 kg-CO₂eq/(TB \cdot Year)

- · Measurement conditions :
 - -Power during use is measured by the measurement method specified by certified PCR (PA-520000-BF-01)
- *1 The capacity is calculated as 1TB = 1,000,000,000,000 bytes
- *2 The operating years were assumed to be the statutory useful life(5 years for computer/others)

^{*1} The amount of CO_2 emissions per unit function. Divided CFP results by the storage capacity (TB) and the operating years (Years).

4. Interpretation

- Greenhouse gas emissions at the use and maintenance stages are the largest, accounting for about 95% of the entire life cycle, and the influence of power consumption during use is large, so it can be said that energy-saving performance during use is a very important factor. Please note that the usage and maintenance stage may not be thesame as the customer's terms of use because general conditions have been set and evaluated.
- In calculating CFP, we use our data for the amount of raw materials used, but since it is difficult to collect data at the time of manufacturing thousands of parts, we use general data at the time of manufacturing raw materials. Therefore, it may not reflect the unique characteristics of this product.

5. Assumptions of secondary data used

IDEA V2.1.3, complemented by CO2 Emissions Intensity v1.10.

6. Remarks

Date of change: April 25, 2022 Changes to the description of main specifications.

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)
- The CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product.

Registration number: JR-BF-22001C-A