



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24124E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan
<https://ecoleaf-label.jp/>

Canon Inc.

1440i(For EU)



Functional unit

Per unit product

System boundary

- final products
- intermediate products

Raw Material acquisition, Production, Distribution, Use & maintenance, and End-of-Life stage

Main specifications of the product

Model name: 1440i(For EU)

Specifications

- Multi Functional Printer (Electrophotography)
- BW
- Print Speed : Up to 40 ipm (A4)
- Max paper size : LGL
- Print/copy/scan/Duplex printing/ADF
- Weight: approx.15.52kg(All in one Cartridge not included)

Company Information

Canon Inc.
30-2, Shimomaruko 3-chome, Ohta-ku,
Tokyo 146-8501, Japan
+81-3-3758-2111

Registration#	JR-AI-24124E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	4/18/2024
Verification date	4/10/2024
Verification method	System certificaion
Verification#	JV-AI-24124
Expiration date	4/9/2029
PCR review was conducted by:	
Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

Third party verifier*

Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24124E



1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	4.4E+02	1.7E+02	3.6E+00	1.5E+01	2.3E+02	2.3E+01
Ozone layer destruction		kg-CFC-11eq	5.5E-05	2.1E-05	8.4E-09	1.1E-10	3.4E-05	2.0E-07
Acidification		kg-SO ₂ eq	3.8E-01	1.3E-01	7.7E-04	1.7E-02	2.3E-01	9.8E-03
Resources consumption		kg-Sbeq	1.6E-02	1.3E-02	1.4E-05	6.4E-05	2.2E-03	1.6E-05

2. Life cycle inventory analysis (LCI)

Parameter	Unit
Non-renewable energy resources	7.0E+03 MJ
Renewable primary energy	1.3E+02 MJ

3. Material composition

Material	Unit
Common Steel	28 %
Stainless Steel	0.26 %
Aluminium	0.26 %
Other Metal	3.7 %
Plastic	39 %
Rubber	2.9 %
Glass	2.9 %
Paper/Wood	14 %
Circuit Board	5.0 %
Others	3.6 %

5. Additional explanation

Calculated in the following conditions;

- Printing paper is not considered.
- Expected use period is 5 years.
- The standard scenario for Multifunction Device (EP type).
- UK / France / Germany / Italy / Spain / Portugal / Belgium / Netherland / Austria / Switzerland / Denmark / Sweden / Norway / Finland market.
- Print volume: 240,000 sheets.
- The applied Energy Star program version is 3.0.



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24124E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

6-1. Supplementary environmental information

Complies with the EU RoHS Directive (2011/65/EU) and its amendments including 2015/863/EU.

Manufactured at ISO 14001 certified factories.

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data v1.13 of Japan EPD Program by SuMPO are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24124E