EcoLeaf Type III Environmental Declaration (EPD) Registration number : JR-AI-20073E-C

Japan EPD Program by SuMPO Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Multifunction Monochrome Laser Printer

Xerox AltaLink B8170

FUJIFILM Business Innovation Corp.

Per unit of product	PCR number	PA-590000-AI	
	PCR name Publication date Verification date Verification method Verification# Expiration date PCR review was Approval date PCR review	Imaging input	
System boundary	Publication date	2022/10/31	
■ final products □intermediate products	Verification date	2021/1/8	
Material - Product - Distribution - use - Disposition	Verification method	System certific	
Main specifications of the product	Verification#	2020-FX-EL-01	
Model name: Xerox AltaLink B8170	Expiration date	2026/1/7	
■ Monochrome Multifunction Printer (EP Type)	PCR review was	conducted by	
■ Monochrome 72ppm(A4 LEF)	Approval date	2022/4/1	
■Paper Size (Max.):SRA3 (320x450mm)	PCR review	Masayuki Kanz	
■ Print /Copy/Scan/FAX	panel chair	(Sustainable Manage	
Automatic 2 sided output	Third party verifie	er*	

Company Information

Functional unit

FUJIFILM Business Innovation Corp.

https://www.fujifilm.com/fbglobal/eng

Registration#	JR-AI-20073E-C				
PCR number	PA-590000-AI-04				
PCR name	Imaging input and/or output equipment				
Publication date	2022/10/31				
Verification date	2021/1/8				
Verification method	System certificaion				
Verification#	2020-FX-EL-016-A				
Expiration date	2026/1/7				
PCR review was conducted by:					
Approval date	2022/4/1				
PCR review	Masayuki Kanzaki				
panel chair	(Sustainable Management Promotion Organization)				
Third party verifier*					
	Sachiko Hashizume				

Independent verification of data & declaration in accordance with ISO14025

□internal

external

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-20073E-C



EcoLeaf

Type III Environmental Declaration (EPD) Registration number : JR-AI-20073E-C

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle i	mpact as	sessment	(LCIA)				
			0%	20%	40% 60	0% 80%	% 100
Global warming IPCC2013 GWP100a	2100	kg-CO2eq		56%	1 <mark>%7</mark>	<mark>%</mark> 32%	5 <mark>5%</mark>
Acidification	2. 0	kg-SO2eq		47%	0 <mark>% 17%</mark>	30%	6 <mark>5%</mark>
Resources consumption	0.36	kg-Sbeq		64%		<mark>0</mark> % 36	5% 0%
Raw material acquisition Production Use & maintenance End-of-Life						enance	
stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	2.1E+03	1.2E+03	1.8E+01	1.4E+02	6.6E+02	1.0E+02
Acidification	kg-SO ₂ eq	2.0E+00	9.3E-01	1.7E-03	3.4E-01	5.9E-01	1.0E-01
Resources consumption	kg-Sbeq	3.6E-01	2.3E-01	2.7E-05	6.0E-04	1.3E-01	1.8E-04
Water resource consumption	m3	2.9E+00	1.8E+00	3.7E-03	2.7E-03	1.1E+00	3.9E-03

2. Life cycle inventory analysis (LCI)		3. Material composition			
項目		単位	Material		Unit
Non-renewable material resources	2.7E+02	kg	Steel	69	kg
Renewable material resources	4.1E+02	kg	Plastic	40	kg
Consumption of fresh water	1.7E+03	m3	SUS	10	kg
			Conversion parts	7.5	kg
			Circuit Board	5.0	kg
			Glass	2.2	kg
			Aluminium	0.42	kg
			Other metal	0.22	kg
			Rubber	0.18	kg
·			Others	3.3	kg

5. Additional explanation

-Product destination: North America

-Calculated based on the standard Scenario for MFP (EP type).

-Assumed lifespan of the product is five years.

-Printing paper is excluded from the use and maintenance stage.

-Electric power in the use and maintenance stage is calculated by TEC value, measured according to International ENERGY STAR program Version3.0 and the public electric-power-consumption-rate in the United States. -Assumed print volume are 777,600 sheets.

1/4x32 (jobs per day) x 81 (sheets) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 777,600 sheets



EcoLeaf Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.in/

Registration number : JR-AI-20073E-C

6-1. Supplementary environmental information

• ENERGY STAR® Ver.3.0 qualified.

• Minimum of 5 weight percent of post-consumer recycled plastic is contained per the total weight of plastic in the product.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3 and registered data v1.07 of Ecoleaf Environmental Labeling Program are used.

8. Remarks

Revised on October 31st, 2022:

lacksquare ①Added the parameter "Water resouce consumption".

 \bullet
②Added the parameter "Consumption of freshwater".

 \bullet (5)Added assumption of product lifespan.

 \bullet (6-1 Added information about the post-consumer recycled plastic content in the product.

Revised on April 1st, 2021:

Implemented the company name change.

Revised on February 5th, 2021:

Re-verification was conducted due to change of a basic unit adopted for two items quantification.

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-20073E-C