

Japan EPD Program by SuMPO


Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

RICOH COMPANY, LTD

Color MFP (Electrophotography

RICOH imagine. change.

RICOH IM C8000



Functional unit

Per product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name: RICOH IM C800(Product destination: JP

Main specifications:

Color MFP (Electrophotography)

Print Speed: 80 prints/minute (A4)

Maximum Paper Size: A3

Included Units in Assessment: Automatic Reversing

Document Feeder, Automatic Duplexing Unit

Automatic document reading function

Company Information

RICOH COMPANY,LTD Tel:(03) 3777-8111

Registration#	JR-AI-24101E		
PCR number	PA-590000-AI-08		
PCR name	Imaging input and/or output equipment		
Publication date	4/26/2024		
Verification date	4/19/2024		
Verification method	System certificaion		
Verification#	JV-AI-24101		
Expiration date	4/18/2029		
PCR review was conducted by:			

PCR review Masayuki Kanzaki

Approval date 9/1/2023

panel chair (SuMPO)

Third party verifier*

Independent verification of data & declaration in accordance with ISO14025

Hiroyuki Uchida

□internal ■external


Registration number: JR-AI-24101E

^{*}Auditor's name is stated if system certification has been performed.



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory	(LCI)	
Parameter		Unit
Non-renewable material resources	2.6E+02	kg
Renewable material resources	3.9E+02	kg

3. Material composition				
Material		Unit		
SUS	1.0E+01	kg		
Aluminum	1.9E+01	kg		
Ordinary steel	1.5E+02	kg		
Other metals	6.8E+00	kg		
Thermoplastic resin	1.1E+02	kg		
Thermosetting resin	1.9E+00	kg		
Glass	3.3E+00	kg		
Rubber	2.2E+00	kg		
Paper	3.1E+00	kg		
Lubricant	3.7E-02	kg		
Mounting circuit board	4.8E+00	kg		
Wood	1.4E-02	kg		



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

*Data derived from LCA and not assigned to the impact categories of LCIA

5. Additional explanation

Products selected in the scenario used for load calculation

- --Multifunction device (EP)
- \cdot Product destination: JP %
- · Expected usage period: 5 years
- Estimated number of sheets:960,000 sheets *
- *Compatible with International Energy Star Program Ver.3.0
- -The load on the image output medium (printing paper) is not included.

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive.

Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number: JQA-E-70001

https://jp.ricoh.com/sustainability/environment/management/iso

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO v1.13 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-24101E