Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

RICOH COMPANY, LTD

Color MFP (Electrophotography)

RICOH imagine. change.



IM C3010 (for NA)



Functional unit

Per product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name: IM C3010 Product destination: NA

Main specifications:

Color MFP (Electrophotography)

Print Speed: 30 prints/minute (A4) Maximum Paper Size: 11" x 17"

 $Included\ Units\ in\ Assessment: Automatic\ Reversing$

Document Feeder, Automatic Duplexing Unit

Company Information

RICOH COMPANY,LTD Tel:(03) 3777-8111

Registration#	JR-AI-23212E		
PCR number	PA-590000-AI-07		
PCR name	Imaging input and/or output equipment		
Publication date	7/21/2023		
Verification date	7/13/2023		
Verification method	Product-by-product		
Verification#	JV-AI-23212		
Expiration date	7/12/2028		
PCR review was conducted by:			
Approval date	4/27/2023		
PCR review	Masayuki Kanzaki		
panel chair	(SuMPO)		

Third party verifier*

Takahiro Atou

Independent verification of data & declaration in accordance with ISO14025

□internal **■** external


Registration number: JR-AI-23212E

^{*}Auditor's name is stated if system certification has been performed.



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory	(LCI)	
Parameter		Unit
Non-renewable material resources	7.3E+01	kg
Renewable material resources	7.5E+01	kg

3. Material composition			
Material		Unit	
SUS	1.4	kg	
Aluminum	1.0	kg	
Ordinary steel	48	kg	
Other metals	3.1	kg	
Thermoplastic resin	38	kg	
Thermosetting resin	1.8	kg	
Glass	1.9	kg	
Rubber	0.47	kg	
Paper	11	kg	
Lubricant	0.0040	kg	
Mounting circuit board	1.4	kg	
Wood	9.1	kg	

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.ip/

*Data derived from LCA and not assigned to the impact categories of LCIA

5. Additional explanation

Products selected in the scenario used for load calculation

- --Multifunction device (EP)
- Product destination: NA ※
- **Transportation scenarios are for China, Thailand, and Ricoh Group.from three production sites in Japan,

 North America, Europe, on transportation routes to the five poles of China, Oceania and Japan transport load

 calculate the weighted average of transportation activity per kg of product from the total calculated using

 the annual production volume for each pole .Then, it is used as a transportation unit of calcuration.
- · Expected usage period: 5 years
- Estimated number of sheets:135000 sheets **
- *Compatible with International Energy Star Program Ver.3.0
- -The load on the image output medium (printing paper) is not included.

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive.

Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number: BSI-EMS646026 JQA – E-70001

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO v1.13 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-23212E