

# Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

# RICOH COMPANY, LTD

Color MFP (Electrophotography)

# **IM C3010A (for EU)**





#### **Functional unit**

Per product

#### **System boundary**

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

# Main specifications of the product

Product name: IM C3010A Product destination: EU

Main specifications:

Color MFP (Electrophotography)

Print Speed: 30 prints/minute (A4) Maximum Paper Size: 11" x 17"

 $Included\ Units\ in\ Assessment: Automatic\ Reversing$ 

Document Feeder, Automatic Duplexing Unit

# **Company Information**

RICOH COMPANY,LTD Tel:(03) 3777-8111

| Registration#                | JR-AI-23214E                          |  |  |
|------------------------------|---------------------------------------|--|--|
| PCR number                   | PA-590000-AI-07                       |  |  |
| PCR name                     | Imaging input and/or output equipment |  |  |
| <b>Publication date</b>      | 7/21/2023                             |  |  |
| Verification date            | 7/13/2023                             |  |  |
| Verification method          | Product-by-product                    |  |  |
| Verification#                | JV-AI-23214                           |  |  |
| <b>Expiration date</b>       | 7/12/2028                             |  |  |
| PCR review was conducted by: |                                       |  |  |
| Approval date                | 4/27/2023                             |  |  |
| PCR review                   | Masayuki Kanzaki                      |  |  |
| panel chair                  | (SuMPO)                               |  |  |
|                              |                                       |  |  |

#### Third party verifier\*


Takahiro Atou

Independent verification of data & declaration in accordance with ISO14025

□internal **■** external


Registration number: JR-AI-23214E

 $<sup>\</sup>hbox{*Auditor's name is stated if system certification has been performed.}\\$ 




# **Japan EPD Program by SuMPO**

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



| 2. Life cycle inventory          | (LCI)   |      |
|----------------------------------|---------|------|
| Parameter                        |         | Unit |
| Non-renewable material resources | 7.3E+01 | kg   |
| Renewable material resources     | 7.4E+01 | kg   |

| 3. Material composition |         |      |  |  |
|-------------------------|---------|------|--|--|
| Material                |         | Unit |  |  |
| SUS                     | 1.4     | kg   |  |  |
| Aluminum                | 1.0     | kg   |  |  |
| Ordinary steel          | 48      | kg   |  |  |
| Other metals            | 3.0     | kg   |  |  |
| Thermoplastic resin     | 39      | kg   |  |  |
| Thermosetting resin     | 1.8     | kg   |  |  |
| Glass                   | 1.9     | kg   |  |  |
| Rubber                  | 0.47    | kg   |  |  |
| Paper                   | 16      | kg   |  |  |
| Lubricant               | 0.0040  | kg   |  |  |
| Mounting circuit board  | 1.3     | kg   |  |  |
| Wood                    | 0.00053 | kg   |  |  |



#### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

\*Data derived from LCA and not assigned to the impact categories of LCIA

#### 5. Additional explanation

Products selected in the scenario used for load calculation

- --Multifunction device (EP)
- ∙ Product destination: EU ※
- \*\*Transportation scenarios are for China, Thailand, and Ricoh Group.from three production sites in Japan,

  North America, Europe, on transportation routes to the five poles of China, Oceania and Japan transport load

  calculate the weighted average of transportation activity per kg of product from the total calculated using

  the annual production volume for each pole .Then, it is used as a transportation unit of calcuration.
- · Expected usage period: 5 years
- Estimated number of sheets:135000 sheets \*\*
- \*Compatible with International Energy Star Program Ver.3.0
- -The load on the image output medium (printing paper) is not included.

#### 6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive.

Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number:BSI-EMS646026 JQA – E-70001 https://jp.ricoh.com/sustainability/environment/management/iso

### 7. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO v1.13 are used.

## 8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-23214E