Ecoleaf Environmental Labeling Program Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Compact Color Inkjet All-in-One

BROTHER INDUSTRIES, LTD.



Functional	lunit

Per unit of product

System boundary

- final products □intermediate products
- Material Product Distribution Use Disposition

Main specifications of the product

Model name: MFC-J805DW

- Business Facsimile (Color IJ method)
- Product weight: 8.30 kg Packaging etc. :1.43kg
- Maximum paper size A4 (maximum 210 x 297 mm)
- Maximum document width 215.9mm
- ■G3 compatible up to 14.4kbps (automatic switching)
- Automatic duplex printing
- Wireless / wired LAN
- * This product is for North America

Company Information

Brother Industries, Ltd. TEL: 81-52-824-2511 (Representative) FAX: 81-52-824-5177 https://www.brother-usa.com/

Regist	tration#	JR-AI-20007E
PCR	number	PA-590000-AI-03
PCR	name	Imaging input and/or output equipment
Publica	tion date	4/14/2020
Verifica	tion date	2/4/2020
Verificat	ion method	System certificaion
Verifi	cation#	JV-AI-20007
Expira	tion date	2/3/2025
PCR rev	view was	conducted by:
Арр	roval date	11/ 8/2019
PC	R review	Masayuki Kanzaki
ра	nel chair	Sustainable Management Promotion Organizat
Third pa	arty verifi	er*

Wataru Kawamura

Independent verification of data & declaration in accordance with ISO14025

□internal

external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-20007E



EcoLeaf

Ecoleaf Environmental Labeling Program

Type III Environmental Declaration Registratieppymber : JR-AI-20007E Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle impact assessment (LCIA)							
			0%	20% 4	0% 60	0% 80%	6 100%
Giobal warming IPOC2013 GWP100a	140	kg-CO2eq		44%	<mark>5%</mark> 6%	34%	11%
Acidification	0. 079	kg-SO2eq		53%	1 <mark>%</mark> 14	4% 14%	19%
Resources consumption	0. 0059	kg-Sbeq			91%		<mark>0</mark> %8%0%
				material acquisit ibution	ion	 Production Use & mainter 	enance
stage			material			maintenanc	
Parameter	Unit	Total	acquisition	Production	Distribution	е	End-of-Life
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	1.4E+02	6.0E+01	6.9E+00	9.0E+00	4.7E+01	1.6E+01
Acidification	kg-SO ₂ eq	7.9E-02	4.2E-02	1.0E-03	1.1E-02	1.1E-02	1.5E-02
Resources consumption	kg-Sbeq	5.9E-03	5.4E-03	1.9E-05	3.8E-05	4.5E-04	1.5E-05

2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Non-renewable material resources	5.9E+00	kg		
Non-renewable energy resources	4.9E+01	kg		
Renewable material resources	1.1E+01	kg		
Renewable primary energy	1.2E+02	MJ		
Consumption of freshwater	9.9E-02	m ³		

3. Material composition		
Material		Unit
Steel	1.5E+00	kg
SUS	4.8E-02	kg
Aluminium	2.0E-03	kg
Other metal	2.3E-03	kg
Plastic	5.2E+00	kg
Rubber	1.2E-01	kg
Glass	6.3E-01	kg
Paper and Wood	1.2E+00	kg
Ciecuit board	2.8E-01	kg
Othres	6.9E-01	kg

5. Additional explanation

- Product destination: North America
- Calculation method for usage stage (scenario)
 - Facsimile (business model)
 - Expected use period: 5 years
 - Transmission / reception: 48,000 each
 - Use pattern when measuring power: ITUT No.1 chart
 - Printing paper is not included in the above environmental impact



Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.in/

6-1. Supplementary environmental information

This product and main compornents are produced in our ISO 14001 certified factories.

7. Assumptions of secondary data used Inventory Database: IDEA v2.1.3, and registered data of EcoLeaf Environmental Labeling Program, JLCA data v1.07 are used.

8. Remarks

_

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-20007E