Ecoleaf Environmental Labeling Program Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Compact Color Inkjet All-in-One



Functional unit	Registration#	JR-AI-21057E-A		
Per unit of product	PCR number	PA-590000-AI-03		
	PCR name	Imaging input and/or output equipment		
System boundary	Publication date	6/30/2021		
■ final products □ intermediate products	Verification date	6/24/2021		
Material - Product - Distribution - Use - Disposition	Verification method	System certificaion		
Main specifications of the product	Verification#	JV-AI-21057		
Model name: MFC-J1205W	Expiration date	6/23/2026		
- Printer (Color IJ method)	- Printer (Color IJ method) PCR review was conducted by:			
- Product weight: 7.3kg Packaging etc.: 1.3kg	Approval date	11/8/2019		
- Maximum paper size (maximum 215.9 x 297 n	nm) PCR review	Masayuki Kanzaki		
- Manual duplex printing	panel chair	Sustainable Management Promotion Organization		
- Wireless LAN	Third party verifier*			
- Wi-Fi Direct and Mobile App	Wataru Kawamura			
* This product is for North America.	Independent verification of data & declaration in accordance			
Company Information	with ISO14025			
Brother Industries, Ltd. TEL: 81-52-824-2511 (Representative) FAX: 81-52-824-5177 <u>https://www.brother.eu/</u>	[□internal ■external		
	*Auditor's name is stated if system certification has been performed.			

Registration number : JR-AI-21057E-A



EcoLeaf

Ecoleaf Environmental Labeling Program

Type III Environmental Declaration (EPD) Registration number : JR-AI-21057E-A Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle i	mpact as	sessment	: (LCIA)				
			0%	20% 4	.0% 60	0% 80%	6 1009
Global warming IPCC2013 GWP100a	110	kg-CO2eq		52%	<mark>6%</mark> 5	<mark>5%</mark> 23%	13%
Acidification	0. 082	kg-SO2eq		50%	1 <mark>%</mark> 149	<mark>%</mark> 23%	11%
Resources consumption	0. 0063	kg-Sbeq		5	31%	0	‰ 18% 0 <mark>%</mark>
			Distri		tion	 Production Use & mainter 	enance
			End-c	of-Life			
stage			Raw material			Use &	
Parameter	Unit	Total	acquisition	Production	Distribution	maintenance	End-of-Life
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	1.1E+02	5.9E+01	7.4E+00	6.0E+00	2.6E+01	1.5E+01
Acidification	kg-SO ₂ eq	8.2E-02	4.1E-02	1.2E-03	1.2E-02	1.9E-02	9.0E-03
Resources consumption	kg-Sbeq	6.3E-03	5.1E-03	2.2E-05	2.5E-05	1.1E-03	1.1E-05

2. Life cycle inventory analysis (LCI)					
	単位				
6.3E+00	kg				
3.9E+01	kg				
1.1E+01	kg				
8.8E+01	MJ				
1.2E-01	m³				
	6.3E+00 3.9E+01 1.1E+01 8.8E+01				

3. Material composition					
Material		Unit			
Steel	1.8E+00	kg			
SUS	8.2E-02	kg			
Aluminium	5.2E-03	kg			
Other metal	2.4E-03	kg			
Plastic	4.1E+00	kg			
Rubber	1.9E-02	kg			
Glass	6.8E-01	kg			
Paper and Wood	9.6E-01	kg			
Circuit board	3.4E-01	kg			
Othres	6.4E-01	kg			

5. Additional explanation

Calculation method for usage stage (scenario):

Printer (IJ), Expected use period: 3 years, Assumed usage: 7,200 sheets, Print measuring method (pattern): ISO/IEC 24712, Printing paper is not included in the environmental impact, Product destination:North America.



Ecoleaf Environmental Labeling Program

Registration number : JR-AI-21057E-A

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.ip/

6-1. Supplementary environmental information

This product and main compornents are produced in our ISO 14001 certified factories.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of EcoLeaf Environmental Labeling Program, JLCA data v1.10 are used.

8. Remarks

7/27/2021 Modified freshwater consumption figures on LCI.

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-21057E-A