#### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Multifunction Color Laser Printer

# Xerox AltaLink C8145

# **FUJIFILM Business Innovation Corp.**

i unccionar unic	<b>Functional</b>	unit
------------------	-------------------	------

Per unit of product

#### System boundary

- final products □intermediate products
- Material Product Distribution use Disposition

# Main specifications of the product

Model name: Xerox AltaLink C8145

- Color Multifunction Printer (EP Type)
- Print Speed:Color 45ppm
  - Monochrome 45ppm
- Paper Size (Max.):SRA3 (320x450mm)
- Print /Copy/Scan/FAX
- Automatic 2 sided output

### **Company Information**

FUJIFILM Business Innovation Corp.

https://www.fujifilm.com/fbglobal/eng

**Registration#** JR-AI-20068E-C **PCR number** PA-590000-AI-04 PCR name Imaging input and/or output equipment Publication date 2022/10/31 Verification date 2021/1/8 Verification method System certificaion Verification# 2020-FX-EL-011-A Expiration date 2026/1/7 PCR review was conducted by: Approval date 2022/4/1 PCR review Masayuki Kanzaki panel chair (Sustainable Management Promotion Organization) Third party verifier\*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025

□internal

external

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa

\*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-20068E-C



## EcoLeaf

Type III Environmental Declaration (EPD) Registration number : JR-AI-20068E-C

#### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle i	mpact as	sessment	(LCIA)					
			0%	20% 4	.0% 60	0% 80	1%	1009
Global warming IPCC2013 GWP100a	1600	kg-CO2eq		66%		1 <mark>% 9%</mark>	16%	7%
Acidification	1.5	kg-SO2eq		57%	0 <mark>%</mark>	24%	10%	9%
Resources consumption	0.27	kg-Sbeq			91%		0	<mark>%</mark> 9%0%
		I	End-c		ion	Production Use & main	tenance	
stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End	-of-Life
Global warming IPCC2013 GWP100a	kg-CO <sub>2</sub> eq	1.6E+03	1.1E+03	2.1E+01	1.5E+02	2.7E+02	1.2	E+02
Acidification	kg-SO <sub>2</sub> eq	1.5E+00	8.6E-01	2.2E-03	3.6E-01	1.5E-01	1.4	E-01
Resources consumption	kg-Sbeq	2.7E-01	2.5E-01	3.3E-05	6.4E-04	2.5E-02	1.9	E-04
Water resource consumption	m3	2.2E+00	1.8E+00	4.2E-03	2.9E-03	4.0E-01	5.7	'E-03

2. Life cycle inventory analysis (LCI)		3. Material composition				
項目		単位	Material		Unit	
Non-renewable material resources	1.2E+02	kg	Steel	62	kg	
Renewable material resources	2.9E+02	kg	Plastic	42	kg	
Consumption of fresh water	1.5E+03	m3	SUS	10.0	kg	
			Conversion parts	6.9	kg	
			Circuit Board	5.5	kg	
			Glass	1.9	kg	
			Aluminium	0.83	kg	
			Other metal	0.36	kg	
			Rubber	0.16	kg	
- <u></u>			Others	4.7	kg	

#### 5. Additional explanation

-Product destination: North America

-Calculated based on the standard Scenario for MFP (EP type).

-Assumed lifespan of the product is five years.

-Printing paper is excluded from the use and maintenance stage.

-Electric power in the use and maintenance stage is calculated by TEC value, measured according to International ENERGY STAR program Version3.0 and the public electric-power-consumption-rate in the United States. -Assumed print volume are 297,600 sheets.

1/4x32 (jobs per day) x 31 (sheets) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 297,600 sheets



### EcoLeaf Type III Environmental Declaration (EPD)

#### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.in/

Registration number : JR-AI-20068E-C

#### 6-1. Supplementary environmental information

• ENERGY STAR® Ver.3.0 qualified.

• Minimum of 5 weight percent of post-consumer recycled plastic is contained per the total weight of plastic in the product.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3 and registered data v1.07 of Ecoleaf Environmental Labeling Program are used.

#### 8. Remarks

Revised on October 31st, 2022:

lacksquare ①Added the parameter "Water resouce consumption".

 $\bullet$  <br/>②Added the parameter "Consumption of freshwater".

 $\bullet$  (5)Added assumption of product lifespan.

 $\bullet$  (6-1 Added information about the post-consumer recycled plastic content in the product.

Revised on April 1st, 2021:

Implemented the company name change.

Revised on February 5th, 2021:

Re-verification was conducted due to change of a basic unit adopted for two items quantification.

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-20068E-C