Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Multifunction Color Laser Printer

Xerox AltaLink C8135 (2TM)

FUJIFILM Business Innovation Corp.

Functional unit

Per unit of product

System boundary

- final products □intermediate products
- Material Product Distribution use Disposition Main specifications of the product

Model name: Xerox AltaLink C8135 (2TM)

- Color Multifunction Printer (EP Type)
- Print Speed:Color 35ppm

Monochrome 35ppm

- Paper Size (Max.):SRA3 (320x450mm)
- Print /Copy/Scan/FAX
- Automatic 2 sided output

Company Information

FUJIFILM Business Innovation Corp.

https://www.fujifilm.com/fbglobal/eng

JR-AI-20065E-C **Registration# PCR number** PA-590000-AI-04 PCR name Imaging input and/or output equipment Publication date 2022/10/31 Verification date 2021/1/8 Verification method System certificaion Verification# 2020-FX-EL-008-A Expiration date 2026/1/7 PCR review was conducted by: Approval date 2022/4/1 Masayuki Kanzaki PCR review panel chair (Sustainable Management Promotion Organization) Third party verifier*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025

□internal

external

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-20065E-C



EcoLeaf

Registration number : JR-AI-20065E-C

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle i	mpact as	sessment	(LCIA)					
			0%	20% 4	0% 6	0% 80%	6	100
Global warming IPCC2013 GWP100a	1600	kg-CO2eq		72%		1 <mark>% 9%</mark>	10%	7%
Acidification	1.5	kg-SO2eq		64%		<mark>0</mark> % 23%	7%	7%
Resources consumption	0.24	kg-Sbeq			95%		0	<mark>)</mark> %%%
		1		material acquisi ibution of-Life	ion	 Production Use & mainter 	enance	
stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of	f-Life
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	1.6E+03	1.1E+03	2.1E+01	1.5E+02	1.7E+02	1.0E·	+02
Acidification	kg-SO ₂ eq	1.5E+00	9.9E-01	2.5E-03	3.5E-01	1.0E-01	1.0E	-01
Resources consumption	kg-Sbeq	2.4E-01	2.3E-01	3.4E-05	6.2E-04	1.2E-02	1.7E	-04
Water resource consumption	m3	2.0E+00	1.8E+00	4.2E-03	2.8E-03	2.1E-01	4.0E	-03

2. Life cycle inventory analysis (LCI)			3. Material composition				
項目		単位	Material		Unit		
Non-renewable material resources	2.2E+02	kg	Steel	55	kg		
Renewable material resources	2.6E+02	kg	Plastic	43	kg		
Consumption of fresh water	1.4E+03	m3	SUS	9.3	kg		
			Conversion parts	6.5	kg		
			Circuit Board	5.3	kg		
			Glass	1.9	kg		
			Aluminium	0.82	kg		
			Other metal	0.32	kg		
			Rubber	0.16	kg		
			Others	4.6	kg		

5. Additional explanation

-Product destination: North America

-Calculated based on the standard Scenario for MFP (EP type).

-Assumed lifespan of the product is five years.

-Printing paper is excluded from the use and maintenance stage.

-Electric power in the use and maintenance stage is calculated by TEC value, measured according to International ENERGY STAR program Version3.0 and the public electric-power-consumption-rate in the United States. -Assumed print volume are 182,400 sheets.

1/4x32 (jobs per day) x 19 (sheets) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 182,400 sheets



EcoLeaf Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.in/

Registration number : JR-AI-20065E-C

6-1. Supplementary environmental information

• ENERGY STAR® Ver.3.0 qualified.

• Minimum of 5 weight percent of post-consumer recycled plastic is contained per the total weight of plastic in the product.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3 and registered data v1.07 of Ecoleaf Environmental Labeling Program are used.

8. Remarks

Revised on October 31st, 2022:

lacksquare ①Added the parameter "Water resouce consumption".

ullet ②Added the parameter "Consumption of freshwater".

 \bullet (5)Added assumption of product lifespan.

 \bullet (6-1 Added information about the post-consumer recycled plastic content in the product.

Revised on April 1st, 2021:

Implemented the company name change.

Revised on February 5th, 2021:

Re-verification was conducted due to change of a basic unit adopted for two items quantification.

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-20065E-C